

Culturally Competent Care of LGBT Patients: The NP Experience

Dana Manzer¹, Lucia O’Sullivan² and Shelley Doucet³

¹University of New Brunswick, Dept. of Nursing & Health Sciences, Canada

²University of New Brunswick, Dept. of Psychology, Canada

³University of New Brunswick, Dept. of Nursing & Health Sciences, Canada

¹dana.manzer@unb.ca, ²osulliv@unb.ca, ³sdoucet@unb.ca

Abstract

Nurse Practitioners (NPs) who are culturally competent can enrich patient care, reduce health disparities, and improve health outcomes. Research that examines NP practice as it relates to the culturally competent care of Lesbian, Gay, Bisexual, and Transgender (LGBT) patients has been lacking in the literature. To address this gap, an exploratory qualitative descriptive design was used to explore NP experiences with LGBT patients. Data were collected via semi-structured interviews with 22 NPs. Inductive analysis was used to identify, analyze, and report themes within the data. Key findings were that LGBT patients were generally not seen as a distinct cultural group with specific health needs and that NP participants were unclear about the definition or principles of cultural competence as it relates to LGBT persons. Most NPs need to use a model of cultural competence to guide their practice. Instead, they utilized strategies that primarily revolved around developing and maintaining the therapeutic nurse-patient relationship. These findings affect patient outcomes, education, training, and research.

Keywords: Nurse practitioner, Lesbian, Gay, Bisexual, Transgender, LGBT, Cultural competence

1. Introduction

1.1. Necessity of study

Increasing numbers of individuals, families, and communities in Canada are receiving health care services provided by nurse practitioners (NPs). Currently, 4,967 NPs are licensed across Canada, with 312 practicing in the Maritime provinces of New Brunswick, Nova Scotia, and Prince Edward Island [1]. Registered nurses who have completed an approved NP program, typically at the graduate level, are educated in nursing theory and medical skills and must pass an entry-to-practice examination approved by the nursing regulatory body before licensure [2]. NPs provide care across the lifespan, ordering and interpreting diagnostic tests, diagnosing acute and chronic conditions, prescribing pharmaceuticals, and performing specific procedures within their legislated scope of practice. Current NP core competencies

Article history:

Received (May 7, 2019), Review Result (October 31, 2019), Accepted (November 15, 2019)

include health promotion and prevention of illness and injury, health assessment and diagnosis, therapeutic management, professional role, responsibility, and accountability [2].

NPs are employed in various practice settings, including community health centers and collaborative family practice; urgent care and emergency departments; mental health and addiction services; correctional services; long-term care; and non-government agencies [3]. An individual's first point of contact or primary health care provider may be an NP. The hallmark of NP practice is holistic, patient-centered care that assists persons of diverse cultures, races, religions, genders, and ethnicities in achieving, maintaining, and enhancing their health and well-being [2]. Holism in nursing is grounded in caring. It is foundational to developing the nurse-patient relationship and a fundamental component of the Canadian Code of Ethics for Registered Nurses. It outlines standards for patient safe, competent, and ethical care. Initially adopted in 1984, the code was revised in 2017 to reflect, among other things, the increasing diversity among Canadians accessing the healthcare system and the impact of social inequities on health inequities [4].

NPs have a long history of providing care to diverse populations who live within vastly different social contexts, and the impact of determinants of health is routinely incorporated into NP practice. Patients experience a variety of acute and chronic health needs over their lifespans and possess varying levels of health management and coping abilities. However, all patients should expect ethical, competent, and compassionate care from their healthcare provider, which acknowledges and recognizes the circumstances that influence a person's health and well-being. Advocacy is vital to the NP role, particularly for underserved, marginalized, or minority populations [2][5]. One such group is LGBT persons. The widely adopted acronym LGBT refers collectively to those who identify as lesbian, gay, bisexual, or transgender. Additional letters have been added to the acronym to reflect more inclusively the diversity of the community, including Q (queer, questioning), I (intersex), A (asexual), and others. Individuals whose biological sex at birth and throughout life corresponds to the culturally accepted male and female gender identity, behavior, and roles are referred to as cisgender [6]. Considering the diversity within the LGBT community, it is beyond the scope of this work to provide a detailed analysis of all permutations of sexual orientation or gender identity. Instead, we intended to highlight the working knowledge that NPs should possess to provide competent, culturally sensitive care to LGBT patients.

2. LGBT health

It is important to note that while there are some commonalities among populations incorporated under this umbrella term, there also are some fundamental differences. Therefore, each group should be considered distinct, with its health and psychosocial needs and concerns [7]. LGBT or questioning youth represent an especially vulnerable population who experience higher rates of social and psychological challenges, including family rejection, homelessness, bullying, physical violence, depression, and suicide. They are more likely to start using tobacco, alcohol, or other substances at an early age [8]. The overall goal for all youth is to achieve physical, social, and psychological well-being. For this to occur, healthcare providers must be attentive and vigilant in recognizing and addressing the physical, psychological, and psychosocial issues contributing to adverse health outcomes. LGBT or questioning youth may be reluctant to disclose sensitive information out of concern for privacy or from fear of prejudice or discrimination. Disclosure is much more likely to occur when healthcare providers are comfortable and competent in having an open dialogue with youth regarding topics related to sexuality and gender in general [9]. Like their

heterosexual counterparts, lesbian and bisexual women have healthcare needs related to health promotion, sexual health, and reproductive health. A prominent feature in LGB research is that lesbian and bisexual women's health-seeking behaviors may be affected negatively by a provider's attitudes and behaviors, in particular, the assumption of heterosexuality [10][11]. Gay and bisexual men's health has focused primarily on the prevention and treatment of sexually transmitted infections such as HIV as a result of the AIDS epidemic of the 1980s and early 1990s. However, gay, bisexual, or men who have sex with men (MSM) are at increased risk of other preventable conditions that have not received the same attention, including a higher incidence of smoking, which leads to an increased risk of cardiovascular disease, as well as lung and other cancers [12]. They also are more likely to experience mental health disorders, such as eating disorders, substance abuse, anxiety, depression, and suicidal ideation than their heterosexual counterparts [7]. Intimate partner violence, most often perceived as only occurring to women, is also a concern for gays, bisexuals, and MSM [13]. Older gay men and women experience the traditional challenges associated with aging, including changes in physical and cognitive functioning, loss of autonomy, retirement, isolation, and a decrease in financial status. However, they also face unique health and social challenges, particularly about substitute decision-making in the case of illness and discriminatory healthcare and institutional practices within some hospital and nursing home settings [14]. Individuals who are questioning their gender identity or who identify as transgender may fear the repercussions of disclosing or discussing this, including concerns for their safety. Transgender individuals are more likely to face discrimination and interpersonal violence as a result of transphobia [15]. Although Statistics Canada does not maintain information on the number of transgender Canadians who are victims of violence or murder, a cross-Canadian study published in 2014 found that transgender persons, particularly transgender women, experience violence at much higher rates than the general population [15].

3. Culture and cultural competence

Culture can be described as interactions between individuals, groups, communities, and society that impart meaning and significance. It is human beings' most comprehensive, universal, and holistic feature [16]. Along with race, religion, and ethnicity, gender and sexual orientation are components of an individual's culture. Cultural competence is a set of attitudes, behaviors, and policies that enables nurses (and others) to work effectively in cross-cultural situations. It acknowledges diversity in society, helps to ensure the most appropriate care is provided to each person, and holds the health care provider accountable for recognizing and meeting the needs of individuals and communities. In the context of the nurse-patient relationship, a simple yet powerful definition of cultural competence is “knowing another as I would want another to know me” (p. 6) [17]. Nurses are expected to integrate cultural competence into their practice; it is considered an entry-level ability for registered nurses. In all domains of nursing practice, nurses are professionally and ethically responsible for acquiring cultural competencies and incorporating these into their therapeutic relationships with patients [3].

3.1. Theoretical frameworks

In nursing, the Meta paradigm or central concepts related to the discipline are the people, the environment, health, and nursing [18]. Theoretical or conceptual frameworks provide a ‘world view’ or lens through which concepts derived from the metaparadigm of nursing can

be viewed, understood, and interpreted [19]. In practice, theoretical frameworks or models help define and explain the principles guiding professional practice nurses. They provide a paradigm to view the nursing process of assessing, planning, implementing, and evaluating care and can facilitate a systematic, knowledgeable, and practical approach to patient interactions [18]. Using a holistic, culturally-centered lens to view and develop an understanding of the human experience can improve patient care [20]. Several well-known frameworks or models of cultural competence have been adopted within the nursing profession, including Campinha-Bacote's Process of Cultural Competence [21][22], Leininger's Theory of Culture Care, Diversity and Universality [16][23], and the Purnell Model of Transcultural Health Care [20].

An individual's cultural experiences may influence perceptions and expectations related to health and psychosocial needs. LGBT persons, as well as members of other minority groups, have described feeling unwelcome, uncomfortable, and at times unsafe due to discriminatory attitudes and practices in health care [24][25]. Homophobia, transphobia, and heterosexism feature prominently in LGBT research and can contribute to misinformation, stereotyping, discrimination, and violence [26][27]. The experience of homophobia, stigmatization, and social isolation, manifested as minority stress, can heighten the health risks associated with sexual or gender minority status, negatively impact health, and result in adverse health outcomes across the life cycle for LGBT people[7][25]. As a component of a quality nursing practice environment, cultural competence can contribute to the reduction or elimination of health disparities, leading to improved health outcomes for patients, families, and communities [3][7][28].

4. Statement of the problem

The ability to provide culturally appropriate care is recognized as an integral component of nursing practice. A culturally competent healthcare workforce that can adequately meet the needs of varied populations is essential in Canada's diverse cultural climate. NPs are providing health services to increasing numbers of Canadians. They, therefore, are well-positioned to enrich patient care, reduce health disparities, and improve health outcomes by providing culturally competent care. Adequate preparation of nursing professionals at both the baccalaureate and graduate levels is critical for ensuring that the nursing workforce is qualified to meet the needs of diverse populations [3].

5. Research purpose and questions

The purpose of this research study was to explore and describe the experiences of NPs in providing health care to LGBT patients and to examine how NPs demonstrate cultural competence in providing care to members of the LGBT community. Specific research questions included: 1) How do you feel you demonstrate cultural competence when caring for LGBT patients? and 2) Is there a cultural competence framework you use to guide your NP practice?

6. Method

A qualitative descriptive design was used for this study to develop a more complete understanding of the experiences of the participants [29]. Relevant ethics board approval for this study was obtained before participant recruitment and data collection. Eligibility criteria for participation were: (1) Family/All Ages or Adult NP; (2) Current license to practice in the

provinces of NB, NS, or PEI; (3) had provided primary care to at least one LGBT patient(s) in their practice setting in the past three years; and (4) understood and spoke English. A purposive convenience sampling technique, supplemented by snowball sampling, was used to facilitate locating potential information-rich participants.

Data were collected via one-on-one qualitative interviews in person or over the phone between July 2016 and June 2017. Interviews ranged in length from 40-100 minutes. Demographic data, including age, gender, years of NP practice, educational background and educational institution, practice setting, and place of employment, were collected on all participants. The research ethics board does not permit questions related to sexual orientation. The interview guide consisted of semi-structured, open-ended questions from a literature review designed to elicit detailed descriptions of participants' experiences. It was reviewed for face validity with pre-identified key informants and piloted with one person before being used formally in the research project. Minor modifications to the initial interview guide were made based on feedback received. Additional questions related to key concepts, themes, ideas, or emerging topics were incorporated as interviews progressed in keeping with the iterative qualitative research process. Data collection was concluded when data saturation was achieved. This occurred after 19 interviews; three additional interviews were conducted to increase confidence in the findings. The PI completed verbatim transcription of all interviews with the assistance of an experienced research transcriptionist, who signed a confidentiality agreement. All participants were given pseudonyms to ensure their privacy and confidentiality.

The qualitative data were analyzed using Braun and Clarke's six phases of thematic analysis [30]. NVivo® Version 9, a data management software tool, was used to assist with data management. Criteria for ascertaining the trustworthiness of a qualitative study, as established by Lincoln and Guba, were used [31]. Participants included NPs from the three Maritime Provinces who worked in various practice settings in both urban and rural areas. This sampling allowed various people's contributions and viewpoints to be verified against each other. Respondent validation or member checks were undertaken during and after the research study to bolster the study's credibility further. An audit trail and field notes were maintained to ensure both dependability and confirmability. Relevant direct quotes from participants were used to facilitate the possible transferability of findings for the reader.

7. Results

As previously noted, demographic data about the sample were collected. All participants identified as cisgender female; none self-identified as LGB to the researcher. The NPs were aged 30-49 years (14%), 40-59 years (73%), and older than 60 years (14%). Most participants (91%) identified their ethnicity as Caucasian. All had at least a Master's degree in nursing or nursing science; three had a doctoral degree (Ph.D. or DNP) completed or in progress. Most participants (82%) had completed a Canadian-based NP program, whereas three (18%) were educated in countries outside of Canada. Most participants (82%) had five years or more of experience as an NP.

All but one participant was licensed as a Family/Ages NP; the other was certified as an adult NP. The NPs were employed in a wide variety of practice settings in both hospital and community settings. While the majority worked in organizations governed by provincial Health Authorities, several participants were employed in either not-for-profit or other governmental or non-governmental organizations. The NP participants provided care to patients of all ages; none were currently engaged in exclusively pediatric or long-term care

settings. Participants varied greatly in the estimated or reported percentage of their practice, comprised of members of the LGBT community (between 1-50%). The majority acknowledged that they had no formal mechanism for identifying LGBT patients; instead, they relied on assumptions based on patient appearance or behavior or patient disclosure.

Most NPs (91%) did not recall receiving LGBT-specific content in their NP education program. Of those participants who reported that their NP program did contain LGBT-specific material (9%), the contact was described as only minutes to a few hours, primarily focused on sexual or psychosocial health. This resulted in a lack of knowledge regarding concepts related to LGBT health, such as appropriate terminology (what do all those letters mean? How do I ask about 'that?') or an understanding of what it meant to be cisgender or transgender. These factors can be a potential barrier to therapeutic communication and developing the nurse-patient relationship. Continuing education or training explicitly related to LGBT health was also lacking. Only two participants (9%) reported participating in or receiving LGBT-specific continuing education since completing their NP program.

7.1. Cultural competence

One of the objectives of this research was to examine how NPs demonstrate cultural competence in providing care to members of the LGBT community. Participants were asked, "Can you tell me how you demonstrate cultural competence when caring for LGBT patients?" This discussion frequently started with asking NPs whether they thought that LGBT patients belonged to a distinct cultural group.

Heather: Yes, they have their own culture. They'd agree. They have their own. It's a very tight-knit community, and yes, they do, for sure.

Olive: yes. It's so fascinating.

Some NPs shared that they did not consider LGBT people as belonging to a distinct cultural group. For these participants, describing how they provided culturally competent care assumed a different meaning in which they defaulted to the principle of not treating LGBT patients differently than heterosexual or cisgender patients. This was viewed as a way of providing culturally competent care, a finding that emerged in numerous interviews.

Monica: I don't think it changes the care I provide...I would treat them just like I would any other patient...I don't treat them any differently than anybody else.

Danielle: That's a tough one. With regards to cultural (competence), and I guess I don't want to, you know, my whole idea is that if you are gay or if you are lesbian if you come in with something, I'm going to treat you the same way as I would treat somebody that wasn't. Why do I have to pick them apart? And that's why I try to, and I'm not going to change my treatment plan, the way I'm going to talk to you because you're a lesbian.

Interestingly, many NPs interviewed needed to be more familiar with specific principles of cultural competence or appeared at a loss for words when asked this question. Several NPs stated that they needed clarification on what cultural competence meant. When this occurred, they were provided with the CNA's definition of cultural competence to facilitate the discussion. Others appeared to confuse cultural competence with developing and maintaining a therapeutic relationship or mainly articulated very general components of culture, such as language or religious beliefs in the context of immigrant populations.

Beth: I don't know what to say to that one. Cultural competence? I'm at a loss, I don't know, I'm at a loss for that one.

Melanie: I've read about that before, but it would be trying to be empathic and respectful and not judge anybody else's position. Yes, that's how I go about it.

7.2. Cultural competence models

Another important finding of this study was that most participants needed to become more familiar with any models of cultural competence or how they applied them to clinical practice. Most (91%) of NPs interviewed stated that they did not use a conceptual or theoretical model of cultural competence to guide their practice.

Joan: No, I'm afraid not

Beverly: I'm embarrassed to say so, but no

Heather: It would have been helpful when we were learning about cultural competence.

Despite this, NPs reported that they felt they were culturally competent in the care that they delivered to LGBT patients.

Beth: I am culturally competent.

Monica: But also looking at, like, you know, the basics that we are taught in nursing school as far as being non-judgmental and the holism that we use, those things have allowed me to be culturally competent to the patients.

When NPs were asked how they demonstrated cultural competence with LGBT patients without using a particular model, they highlighted equity, justice, and inclusivity principles. In particular, NPs discussed concrete and practical strategies associated with being culturally competent, including providing a safe and welcoming environment, not treating LGBT patients differently, being respectful, and being careful with language to avoid offending.

Kathy: So inclusivity - making people feel that you know everyone is welcome here, so it's not just for full-time or part-time or heterosexual (patients), this is a safe space for all, which I guess would also fall into the equity category. Respect: as a Nurse Practitioner, I respect patients' rights daily. We, it's a fundamental core of what I do. So I demonstrate that every day, whether it's calling him when he's biologically she, not recognizing, calling, and addressing him as such would be offensive and disrespectful to him. I would never do that. That is an example of how I've done that (demonstrated cultural competence). I do value differences in my practice.

Beth: That's a good question; I have to think about that, like cultural competence, and that means, like, how does that? I haven't even looked at that competence for a long time. But to me, it doesn't matter what gender, culture, racial group, or religion they're from; that means nothing to me. Like I would, and I shouldn't say it means nothing to me as I respect them for whatever of those that, you know, if they are within the LGBT group or if they are, you know, whatever.

8. Discussion

In addition to developing a better understanding of how NPs demonstrate cultural competence in providing care to LGBT patients, this study was also intended to identify potential gaps in NP knowledge or practice and any barriers that impact care delivery. If we examine the construct of cultural competence identified by three prominent theorists, LGBT people meet the criteria of a distinct cultural group. Purnell conceptualizes cultural competence as a non-linear transition through four stages, from unconscious incompetence, where the provider lacks insight into the needs of diverse cultures, to unconscious

competence, where culturally congruent care is provided automatically [20]. Campinha-Bacote's Process of Cultural Competence envisions cultural competence as a process encompassing five constructs: awareness, knowledge, skill, encounters, and desire [21][22]. Leininger's Theory of Culture Care, Diversity, and Universality depicts culturally competent care as the knowledge, acts, and decisions used sensitively and appropriately to meaningfully fit the cultural values and beliefs of the individuals being cared for [16][23]. However, the majority of the NP participants in this study did not think of or recognize LGBT people in terms of a distinct cultural group. A theme that emerged in this study was 'not treating LGBT patients differently,' which further perpetuates a heteronormative worldview. For the most part, NPs were not using frameworks or models of cultural competence to guide their practice. Instead, they were more comfortable using more practical strategies primarily involving acceptance and developing and maintaining therapeutic NP-patient relationships.

The research findings have implications for patient outcomes and NP education, practice, and research. Although NPs are well positioned to advocate for change within the health care system, they appear to lack specific knowledge related to the LGBT population and associated health and social concerns, all components of cultural competence. There is growing recognition of the gap that exists with provider knowledge about the health concerns experienced by LGBT people and the implications on the health and well-being of LGBT people. Numerous organizations at the national and international levels have begun to address this. The AMA; the Canadian and American Pediatric Societies; the College of Family Physicians of Canada; GLMA: Health Professionals Advancing LGBT Equality; the Society of Obstetricians and Gynecologists of Canada; the World Professional Association for Transgender Health (WPATH); and the World Health Association (WHO) have all provided recommendations or created guidelines for the care of LGBT people [26][32][33][34][35][36][37][38].

Other groups have spoken out or issued official statements calling for more progressive training and approaches to ensuring that the health and social needs of LGBT people are recognized and addressed by healthcare and social service providers. The Canadian Nursing Students' Association released a position statement in 2013 stressing the importance of incorporating LGBT education into the nursing curriculum. In part, their statement highlights that the lack of LGBT-specific training makes it difficult for nursing students (and future registered nurses and NPs) to provide holistic, patient-centered care to the LGBT community [39]. Similarly, the Canadian Federation of Medical Students stated that healthcare for LGBTQ populations should be improved [40]. The American Nurses Association (ANA) recently committed to promoting strategies that educate nurses on patient care and cultural sensitivity specific to the LGBT community to achieve culturally competent and non-discriminatory care of LGBT persons[41]. This includes developing and implementing a nursing curriculum and toolkit that allows students to develop competence through an empirically derived understanding of the complex societal and cultural causes of health disparities [42]. The Canadian Nurses Association has published a statement on cultural competence and respecting diversity [3]. The Canadian Association of Schools of Nursing states they are committed to "developing inclusive policies and statements that challenge discrimination and cisnormative behavior." A recently published competency framework on nursing care of the childbearing family includes the importance of promoting "sensitivity, inclusion, and respect for all people including but not limited to transgender, non-binary, intersex, and for all marginalized communities" [43]. However, major nursing organizations need a formal position statement or guidelines on their website that relate specifically to integrating LGBT-specific education or competencies in nursing curricula.

Researchers have examined LGBT-specific curriculum content in medical and nursing education to assess the degree to which new health professionals are acquiring information and skills relevant to treating LGBT patients. To date, the inclusion of LGBT health in both medical and nursing curricula has typically been lacking [44][45][46]. LGBT-related curricula content at 176 allopathic and osteopathic medical schools in Canada and the US was evaluated. Findings determined the median time dedicated to LGBT-related content was five hours over the entire curriculum. One-third of schools reported no LGBT content whatsoever during students' clinical years, and 78% of schools did not offer LGBT-specific clinical experiences. Many survey respondents expressed dissatisfaction with covering LGBT-related content in their institution. They identified the availability of faculty willing and able to teach it as a strategy for potentially increasing LGBT-related content in the curricula[44]. A national survey of baccalaureate nursing programs in the US assessed faculty knowledge, experience, and readiness for teaching lesbian, gay, bisexual, and transgender health. Findings demonstrated that faculty knowledge was limited and that the estimated median time devoted to LGBT health throughout the baccalaureate program was 2.12 hours [47]. Another study published in 2015 stated that 79% of nurse informants reported having received no LGBT patient-centered care education or training [48]. When nurse educator attitudes toward homosexuality were examined, it was found that most participants had positive attitudes toward LGBT people, and the importance of teaching LGBT-related content to nursing students was acknowledged. However, most faculties considered themselves unprepared for the knowledge, skill, and tools to deliver this material [49]. These research studies highlight the circular nature of this issue that applies to all healthcare professions. The lack of meaningful, comprehensive, and progressive LGBT-specific content in healthcare curricula has significant and interrelated consequences. If health educators lack sufficient knowledge and understanding regarding the specific health needs of LGBT persons, they are unable to impart this knowledge to future generations of healthcare providers.

As noted above, research supports that healthcare providers are often ill-prepared educationally to address the healthcare needs of members of the LGBT community across the lifespan. Lack of familiarity with the concepts of sexual orientation, gender identity, and LGBT-specific terminology has been identified as a barrier between healthcare providers and LGBT patients [50][51][52]. Recent studies have examined strategies to address this deficit. Clinical training on physiological and psychosocial components of LGBT health, experiential learning, and communication skills have been identified as essential provider qualities for improving the sexual health of LGBT people [45]. The baseline knowledge and understanding of LGBT health exhibited by upper-year nursing students, as well as their knowledge and skill after an educational assignment intervention aimed at increasing knowledge of LGBT health issues, was assessed. Results demonstrated that 40% of nursing students felt unprepared to care for LGBT patients pre-intervention, with 85% stating that their nursing education program had not prepared them. Post-intervention, 74% of students said they were more aware of LGBT issues, although they recognized that they still had much to learn [48]. Lack of knowledge regarding sexual and gender minority groups can be an obstacle to open communication and can leave healthcare providers feeling ill-equipped to care for LGBT patients. Other educational and student support strategies have been suggested, including high-fidelity simulation, case studies in which the client is LGBT, and independent study and elective courses. However, the adoption of these strategies has been slow [53]. As a component of examining culturally competent LGBT care, an educational program was developed and delivered from current evidence-based practice guidelines for

treating LGBT individuals. Post-implementation evaluation demonstrated positive results in improving healthcare providers' level of cultural competence [54].

It has been suggested that clinical nursing instructors and nurse preceptors assume a lead role in identifying learning opportunities for students related to LGBT health and that nurses have a professional obligation to intentionally strive to improve health-related encounters for LGBT people [46]. Using a student-faculty partnership model, transgender health content was developed and successfully incorporated into five required nursing courses in a baccalaureate nursing program. Feedback on this approach was positive from faculty and students [56]. Recent works have described the implementation of a model of preparing NPs for competence in providing sexual health care, including with LGBT people, and how students have enthusiastically received this [57][58]. These research studies emphasize the lack of LGBT-specific content in nursing curricula, the potential for didactic and experiential learning opportunities related to LGBT health, and the barriers that may require further consideration and investigation.

We know that LGBT people continue to fear discrimination in healthcare environments and may experience challenges in accessing care where they are understood, accepted, and well-cared for [59]. A lack of sufficiently educated and culturally sensitive nursing professionals is a factor in the continued marginalization of this patient population. Healthcare providers such as NPs have a key role to play in improving the health and well-being of LGBT people; however, this can only be achieved if they receive the education and training necessary to recognize and address the health and social needs of members of the LGBT community in a culturally sensitive way. Including up-to-date, accurate, evidence-based information regarding sexual orientation and gender identity in nursing education curricula is essential to developing a nursing workforce that is culturally competent in caring for LGBT patients. Additional teaching and learning strategies, including case studies and simulation with an LGBT focus, inviting LGBT individuals as guest speakers, panel discussions, and information on available supports and resources, can all facilitate this process.

9. Potential limitations of the study

While qualitative description can provide a rich, detailed description that assists in understanding human experiences, a potential limitation is that it stays within the data to assign meaning or develop theory [29]. For this research, this was not a barrier, as the goal was to explore and describe the experiences of individual NPs. However, the researcher's perspectives and perceptions may have influenced the interpretation of the findings. To minimize this, reflexivity and field notes were used during all phases of the research process. They allowed the researcher to capture and document personal thoughts, impressions, questions, and concerns, which were subsequently used as part of an ongoing internal reflexive dialogue. Additional investigation may be warranted to explore the themes and concepts that emerged from a theoretical perspective further.

Several of the research participants had past professional working relationships with the PI. While this facilitated the building of rapport, it also could have influenced some NPs' decision to participate in the study or respond in a way they perceived the researcher would want to hear. Being an NP did provide the PI with insider knowledge and insight into how NPs practice. Particular attention was given to ensuring that the researcher's pre-existing assumptions did not interfere with or overshadow the experiences of the participants. However, it does remain that the PI is an NP with an interest in LGBT health. Therefore, this

did exert influence during data analysis, despite these deliberate efforts to mitigate this possibility.

This study highlights the experiences of a group of NPs in a particular geographic area in Canada and may not reflect the perspectives of NPs working in other geographic locations. The sample was relatively homogenous, predominantly Caucasian women aged 30-50 years with a Master's degree in nursing. This is not generally a concern with qualitative research, where the goal is to provide a detailed description of a phenomenon among a known group and generate insights that can be explored further [60]. Additional studies examining the practice experiences of a broader group of NPs could provide further illumination. Finally, there was the potential for volunteer bias. It may be that the NPs who volunteered to participate had more positive attitudes about LGBT people or wished to share positive encounters they experienced with LGBT patients.

References

- [1] Canadian Institute for Health Information, "Regulated nurses 2017," Canada and jurisdictional highlights, Retrieved from <https://www.cihi.ca/sites/default/files/document/regulated-nurses-2017-pt-highlights-en-web.pdf>, (2017)
- [2] Canadian Nurses Association, "Position statement," The nurse practitioner, Retrieved from https://www.cna-aaic.ca/~media/cna/page-content/pdf-en/the-nurse-practitioner-position-statement_2016.pdf?la=en&hash=B13B5142C8D02990439EF06736EA284126779BCC, (2016)
- [3] Canadian Nurses Association. Position statement. Promoting cultural competence in nursing. Retrieved from https://www.cna-aaic.ca/~media/cna/page-content/pdf-en/position_statement_promoting_cultural_competence_in_nursing.pdf, (2018)
- [4] Canadian Nurses Association, "Code of ethics for registered nurses," Retrieved from <https://www.cna-aaic.ca/~media/cna/page-content/pdf-en/code-of-ethics-2017-edition-secure-interactive.pdf>, (2017)
- [5] Canadian Nurses Association, "Practice framework for nurse practitioners in Canada," Retrieved from https://www.cna-aaic.ca/~media/cna/page-content/pdf-en/04_practice-framework.pdf, (2006)
- [6] Gay and Lesbian Medical Association, "Guidelines for care of lesbian, gay, bisexual, and transgender patients," Retrieved from http://www.qahc.org.au/files/shared/docs/GLMA_guide.pdf, (2010)
- [7] Institute of Medicine of the National Academies (IOM), "The health of lesbian, gay, bisexual, and transgender people," Building a foundation for better understanding, Washington: The National Academies Press, Retrieved from http://books.nap.edu/openbook.php?record_id=13128&page=R1, (2011)
- [8] K. Chaplic and P.J Allen, "Best practices to identify gay, lesbian, bisexual, or questioning youth in primary care," *Pediatric Nurse*, vol.39, pp.99-103, (2013)
- [9] G. Meckler, M. Elliott, D. Kanouse, K. Beals, and M. Schuster, "Nondisclosure of sexual orientation to a physician among a sample of gay, lesbian, and bisexual youth," *Archives of Pediatrics & Adolescent Medicine*, vol.160, pp.1248-1254, (2006)
- [10] M. Bjorkman and K. Malterud, "Lesbian's experiences with health care: A qualitative study," *Scandinavian Journal of Primary Health Care*, vol.27, pp.238-243, (2009)
- [11] S. Munson and C. Cook. "Lesbian and bisexual women's sexual healthcare experiences." *Journal of Clinical Nursing*, vol.25, pp.3497-3510, (2016) DOI: 10.1111/jocn.13364
- [12] B. A. Caceres, A. Brody, Luscombe, J. Primiano, P. Marusca, E. M. Sitts, and D. Chyun, "A systematic review of cardiovascular disease in sexual minorities," Retrieved <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5343694>, (2017)
- [13] J.L. Olliffe, C. Han, E.S. Maria, M. Lohan, T. Howard, D.E. Stewart, and H. MacMillan, "Gay men and intimate partner violence: A gender analysis," *Sociology of Health and Illness*, vol.36, pp.564-579, (2014) DOI: 10.1111/1467-9566.12099

- [14] M.B. Foglia and K. Fredriksen-Goldsen, "Health disparities among LGBT older adults and the role of nonconscious bias," *Hastings Center Report*, vol.44, no.5, ppS40-S44, (2014) DOI: 10.1002/hast.369
- [15] B. Perry and D. Dyck, "I don't know where it is safe": Trans women's experiences of violence," *Critical Criminology*, vol.22, (2014) DOI:10.1007/s10612-013-9225-0
- [16] M. Leininger, "Overview of Leininger's theory of culture care diversity and universality," Retrieved from <http://www.madeleine-leininger.com/cc/overview.pdf>, (2008)
- [17] J. Giancola, "Achieving cultural competency with lesbian, gay, bisexual, and transgender (LGBT) patients through application of Carper's fundamental patterns of knowing in nursing," Retrieved from <https://www.nursinglibrary.org/vhl/bitstream/10755/324241/6/LGBT+Cultural+Competency.pdf>, (2014)
- [18] K. Masters, "Nursing theories. A framework for professional practice," Jones & Bartlett: Mississauga, (2012)
- [19] H. Green, "Use of theoretical and conceptual frameworks in qualitative research," *Nurse Researcher*, vol.21, no.6, pp.34-38, (2014) DOI: 10.7748/nr.21.6.34.e1252
- [20] L. Purnell, "The Purnell model for cultural competence," *The Journal of Multicultural Nursing and Health*, vol.11, no.5, pp.7-15, (2005)
- [21] J. Campinha-Bacote, "The process of cultural competence in the delivery of healthcare services: A model of care," *Journal of Transcultural Nursing*, vol.13, pp.181-184, (2002)
- [22] J. Campinha-Bacote, "Delivering patient-centered care amid a cultural conflict: the role of cultural competence," *The Online Journal of Issues in Nursing*, vol.16, no.2, (2011) DOI: 10.3912/OJIN.Vol16No02Man05
- [23] M. Leininger and M. McFarland, "Culture care diversity and universality: A worldwide theory of nursing," Jones and Bartlett: Sudbury, (2006)
- [24] B. Began, E. Fredericks, and L. Goldberg, "Nurses' work with LGBTQ patients: "They're just like everybody else, so what's the difference?"," *Canadian Journal of Nursing Research*, vol.44, no.3, pp.44-63, (2012)
- [25] Registered Nurses Association of Ontario, "Embracing cultural diversity in health care: Developing cultural competence," Retrieved from https://rnao.ca/sites/rnao-ca/files/Embracing_Cultural_Diversity_in_Health_Care_Developing_Cultural_Competence.pdf, (2007)
- [26] Gay and Lesbian Medical Association, "Guidelines for care of lesbian, gay, bisexual, and transgender patients," Retrieved from http://www.qahc.org.au/files/shared/docs/GLMA_guide.pdf, (2010)
- [27] Morrison, M., "Psychological health correlates of perceived discrimination among Canadian gay men and lesbian women," *Canadian Journal of Community Mental Health*, vol.30, pp.81-95, (2011)
- [28] L. Poghosyan and JLB Carthon, "The untapped potential of the nurse practitioner workforce in reducing health disparities," *Policy, Politics, and Nursing Practice*, vol.18, no.2, pp.84-94. (2017) DOI: 10.1177/1527154417721189
- [29] M. Sandelowski, M., "Whatever happened to qualitative description?" *Research in Nursing and Health*, vol.23, pp.334-340, (2000)
- [30] V. Braun and V. Clarke, V., "Using thematic analysis in psychology," *Qualitative Research in Psychology*, vol.3, pp.77-101, (2006) DOI: 10.1191/1478088706pq063oa
- [31] Y.S. Lincoln and E.G. Guba., "Naturalistic inquiry," Sage: Newbury Park
- [32] American Medical Association, Policies on Lesbian, Gay, Bisexual, Transgender & Queer (LGBTQ) issues <https://www.ama-assn.org/delivering-care/population-care/policies-lesbian-gay-bisexual-transgender-queer-lgbtq-issues>, (2019)
- [33] Canadian Paediatric Society, "Adolescent sexual orientation," *Paediatric Child Health*, vol.13, no.7, pp.619-642, (2016)
- [34] American Academy of Pediatrics, "Ensuring comprehensive care and support for transgender and gender-diverse children and adolescents," Retrieved from <https://pediatrics.aappublications.org/content/142/4/-e20182162>, (2019)
- [35] College of Family Physicians of Canada, "Gay and lesbian health," Retrieved from <https://www.cfpc.ca/-projectassets/templates/resource.aspx?id=1615&langType=4105>, (2018)

- [36] Society of Obstetricians and Gynecologists of Canada, “Lesbian health guidelines,” Retrieved from <https://sogc.org/wp-content/uploads/2013/01/87E-PS-March2000.pdf>, (2000)
- [37] World Professional Association for Transgender Health, “Standards of care for the health of transsexual, transgender, and gender non-conforming people,” Retrieved from [https://s3.amazonaws.com/amo_hub_content/Association140/files/Standards%20of%20Care%20V7%20-%202011%20WPATH%20\(2\)\(1\).pdf](https://s3.amazonaws.com/amo_hub_content/Association140/files/Standards%20of%20Care%20V7%20-%202011%20WPATH%20(2)(1).pdf), (2018)
- [38] World Health Organization, “Improving the health and well-being of lesbian, gay, bisexual, and transgender persons,” Retrieved from http://www.ghwatch.org/sites/www.ghwatch.org/files/B133-6_LGBT.pdf, (2013)
- [39] Canadian Nursing Students Association, “Incorporating LGBTTIIPQQ2SAA+ Education into Nursing Curriculum in Canada,” Retrieved from <http://cnsa.ca/wp-content/uploads/2017/02/Incorporating-LGBTTIIPQQ2SAA-Education-into-Nursing-Curriculum-in-Canada.pdf>, (2013)
- [40] Canadian Federation of Medical Students, “Improving healthcare for LGBTQ populations,” Retrieved from <https://www.cfms.org/files/position-papers/2015%20Improving%20Healthcare%20for%20LGBTQ%20Populations.pdf>, (2015)
- [41] American Nurses Association, “Report of the reference committee,” Dialogue forum recommendations and proposed revisions to the policy, Retrieved from <https://www.nursingworld.org/~4ae323/globalassets/docs/ana/report-of-the-reference-committee-dialogue-forum-and-qa-criteria.pdf>, (2016)
- [42] American Association of Colleges of Nursing, “Tool kit for cultural competence in masters and doctoral nursing education,” Retrieved from <https://www.aacnursing.org/Portals/42/AcademicNursing-CurriculumGuidelines/Cultural-Competency-Grad-Tool-Kit.pdf>, (2011)
- [43] Canadian Association of Schools of Nursing, “Entry-to-practice competencies for nursing care of the childbearing family for baccalaureate programs in nursing,” Retrieved from <https://www.casn.ca/wp-content/uploads/2016/09/FINAL-CHILDBEARING-FAMILY-COMPETENCIES-revised.pdf>, (2016)
- [44] J. Obedin-Maliver, E. Goldsmith, L. Stewart, W. White, E. Tran, S. Brenman, M. Wells, D. Fetterman, G. Garcia, and M. Lunn, “Lesbian, gay, bisexual, and transgender-related content in undergraduate medical education,” *Journal of the American Medical Association*, vol.306, pp.971-977, (2011) DOI:10.1001/jama.2011.1255
- [45] C. Dorsen and N. Van Devanter, “Open arms, conflicted hearts: Nurse practitioner’s attitudes towards working with lesbian, gay, and bisexual patients,” *Journal of Clinical Nursing*, vol.25, pp.3716-3727, (2016) DOI: 10.1111/jocn.13464
- [46] P. Zuzelo, “Improving nursing care for lesbian, bisexual, and transgender women,” *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, vol.43, pp.520-530, (2014) DOI: 10.1111/1552-6909.12477
- [47] F. Lim, F. M. Johnson, and M. Eliason, “A national survey of faculty knowledge, experience, and readiness for teaching lesbian, gay, bisexual, and transgender health in baccalaureate nursing programs,” *Nursing Education Perspectives*, vol.36, pp.144-152, (2015) DOI: 10.5480/14-1355
- [48] R. Carabez, M. Pellegrini, A. Mankovitz, M. Eliason, M. Ciano, and M. Scott, “Never in all my years...:” Nurses’ education about LGBT health,” *Journal of Professional Nursing*, vol.31, pp.323-329, (2015) doi.org/10.1016/j.profnurs.2015.01.003
- [49] D. Sirota, “Attitudes among nurse educators toward homosexuality,” *Journal of Nursing Education*, vol.52, pp.219-227, (2013) DOI: 10.3928/01484834-2013032001
- [50] M. Pelletier and B. Tschurtz, “Meeting the health care needs of LGBT patients,” *Journal of Nursing Care Quality*, vol.27, pp.95-98, (2012) DOI: 10.1097/NCQ.0b013e31824911ac
- [51] M. Pettinato, “Providing care for GLBTQ patients,” *Nursing*, vol.42, no.12, pp.22-27, (2012) DOI: 10.1097/01.NURSE.0000422641.75759.d7
- [52] H. Unlu, T. Beduk, and V. Duyan, “The attitudes of the undergraduate nursing students towards lesbian women and gay men,” *Journal of Clinical Nursing*, vol.25, pp.3697-3706, (2016) DOI:10.1111/jocn.13347
- [53] F. Lim, D. Brown, and H. Jones, “Lesbian, gay, bisexual, and transgender health: Fundamentals for nursing education,” *Journal of Nursing Education*, vol.52, pp.198-203, (2013) DOI: 10.3928/01484834-20130311-02

- [54] M. Pettinato, "Providing care for GLBTQ patients," *Nursing*, vol.42, no.12, pp.22-27, (2012) DOI: 10.1097/01.NURSE.0000422641.75759.d7
- [55] C. Surreira, "Culturally competent LGBT care," Doctoral dissertation, Retrieved from http://scholarworks.umass.edu/nursing_dnp_capstone/34, (2014)
- [56] A. McDowell and K. Bower, "Transgender health care for nurses: An innovative approach to diversifying nursing curricula to address health inequities," *Journal of Nursing Education*, vol.55, pp.476-479, (2016) DOI:10.3928/01484834-20160715-11
- [57] S. Rowniak, "Creating a strategic partnership for educating nurse practitioner students about sexual health," *Creative Education*, vol.5, pp.1377-1382, (2014) DOI: 10.4236/ce.2014.515156
- [58] S. Rowniak and N. Selix, "Preparing nurse practitioners for competence in providing sexual health care," *Journal of the Association of Nurses in AIDS Care*, vol.27, no.3, pp.1-7, (2015) DOI: 10.1016/j.jana.2015.11.010
- [59] National LGBT Health Education Center: Fenway Institute, "Building patient-centered medical homes for lesbian, gay, bisexual, and transgender patients and families," Retrieved from <https://www.lgbthealtheducation.org/wp-content/uploads/Building-PCMH-for-LGBT-Patients-and-Families.pdf>, (2016)
- [60] G.Morgan, J. Gliner, and R. Harmon, "Understanding and evaluating research in applied and clinical settings," New York: Psychology Press, (2006)

Authors



Dana Manzer

Dr. Dana Manzer is an Assistant Professor in the Department of Nursing and Health Sciences at the University of New Brunswick in Saint John. Dr. Manzer graduated as a family/all-ages Nurse Practitioner in 2008 and worked in acute and community settings, primarily with vulnerable populations. She enjoys sharing her knowledge and experiences with future registered nurses.



Lucia O'Sullivan

Dr. O'Sullivan's research addresses the interface of sexuality and intimate relationships, including the impact of new digital technologies on close relationships, with a primary focus on adolescents and young adults. She also has studied barriers and facilitators to access sexual health care and services. Her research program frequently incorporates international studies and collaborations (e.g., South Africa, Guatemala, India, US). She has published over 100 peer-reviewed scientific articles and chapters, co-edited a book on sexual coercion in dating relationships, and serves on various research journal editorial boards.



Shelley Doucet

Dr. Shelley Doucet is the Jarislowsky Chair in Interprofessional patient-centered care and an Associate Professor in the Department of Nursing and Health Sciences at the University of New Brunswick in Saint John. Dr. Doucet's research team develops programs that address the barriers and gaps in services identified through research to promote collaborative patient-centered care that is accessible and meets patients' needs. Her multi-method community-based research involves intersectoral partnerships with various stakeholders, such as health professionals, economists, patients, regulatory bodies, community members, and government.

This page is empty by intention.